



REFURB WITH FILM

Looking for an alternative refurbishment solution?

Self-adhesive films could be a simple and cost-effective alternative for your interior design projects. Create faux finishes by wrapping existing surfaces, saving landfill and avoiding the disruption of traditional refurbishments.

Looking for an installer?

We have a growing network of fully trained applicators who will be able to supply and install your projects with confidence. This elite group of installers, from fit out, sign and graphics companies, all share the same mission, to be one of the first to uncover exceptional ways to renovate building interiors and exteriors and to tap into the growing market of architectural finishes.











NO LOSS OF REVENUE



INCREASE REVENUE

FOR PREMIUM ROOMS



QUICK INSTALL WITH NO BUILDING WORK



NOT JUST FOR



1500 REALISTIC TEXTURES

AND PATTERNS

FLAT SURFACES



A SUSTAINABLE SOLUTION



AND HEAT RESISTANT

THEY SAY THAT FORM FOLLOWS FUNCTION.

WE SAY FORM PRESERVES FUNCTION.






TRANSFORMING INTERIORS

With eco-friendly materials fast becoming rising stars in the world of interiors, there are multiple benefits of using architectural films and how they can refurbish existing surfaces. Gone are the days when wrapping was exclusive to vehicles; architectural films have opened up a wealth of design possibilities.







SUSTAINABLE SOLUTION

On average, it costs seven times more to rip out and replace interiors. Wrapping with architectural films is a novel way to upcycle existing fixtures and fittings, rather than send to landfill.









MINIMAL DISRUPTION

Architectural films can be applied in situ, with no noise, mess or waste. Little equipment and minimal prep is needed, meaning less downtime and inconvenience for businesses and they can stay open throughout.

The films are lightweight and conformable so they can be heated and stretched around many shapes, corners and contours without the need for edge banding.













APPROVED

All finishes are fire tested and meet building regulations. And as the product is a PVC solution, it is fully water and heat resistant, as well as and hygienic, all of which are important in high-traffic venues such as gyms, bars and restaurants.



APPLICATIONINSPIRATION




























APPLICATION INSPIRATION

Here's a selection of recent transformations using self-adhesive architectural films. Wrapping existing surfaces is a costeffective design solution for interior and exterior new building refurbishment projects, these vinyl films realistically recreate the visual effect of natural materials at a fraction of the cost.






























OUR BRANDS

Architectural finishes are highly engineered, durable films, designed to look and feel like real-life materials. The films are often applied with heat, by skilled installers, to provide a realistic hardwearing finish. This allows you to create bespoke designs using less expensive materials, by wrapping them to look like authentic marble, wood or concrete.

With hundreds of patterns in stock, the possibilities really are unlimited, making in-vogue design more than achievable with architectural finishes. Mimicking the aesthetics of natural materials, architectural films offer unrivalled choice of ontrend patterns and an alternative method to upcycle existing substrates in an affordable, high-quality finish.







As the fastest growing brand of architectural film, Cover Styl' films are available in hundreds of colours and finishes. Used widely throughout Europe, this emerging brand is a fantastic option where budgets are tight as a great value engineering proposition for refurbishments.

The range is polymeric calendered, with a durability of up to 10 years for indoor applications. Available in a huge range of finishes including wood grains, marble, leather, super matt, glitter, fabric, colours and stone.

The films are robust and durable for wrapping existing surfaces. We stock the largest selection in the UK, offering affordable options by the metre.






ARCHITECTURAL FINISHES

Architextural, are part of William Smith Group 1832 and we stock the largest range of architectural films in the UK. Everything you see on the following pages are held in stock and available by the metre.

Visit our website to order samples of any of the finishes www.architextural.co.uk








With hundreds of finishes in stock, the possibilities really are unlimited, making in-vogue design more than achievable with architectural finishes.

Choose from our extensive collection of finishes including Wood, Colours, Metallic, Stone, Fabric and Leather.



WOOD FINISHES







Suitable for external application



Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended





COVER STYL' **WOOD** FINISHES w AA15 w AB07 w AB02 w AB03 w AC04 w AC01 w AF06


w AG14


w AG20

AG04
















WOOD FINISHES






















NH80



COLOUR FINISHES





Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application





Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended







COLOUR FINISHES

! w _{J16}

w _{R14}

! w R16

! w _{R15}

! w _{R18}


! w _{R11}

! w _{R7}





METALLIC FINISHES





Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application



Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended








STONE FINISHES





Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application




Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended






STONE FINISHES







FABRIC FINISHES





Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application




Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended



FABRIC FINISHES






! w _{ST02}





LEATHER FINISHES





Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application




Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended



LEATHER FINISHES







TECHNICALSPECIFICATIONS

The use of architectural film has become more prevalent over the last few years as there has been a shift in attitude toward using sustainable solutions and methods within the construction sector.

Wrapping doors or case goods instead of ripping out and sending to landfill is a powerful statement for any stakeholders within a refurbishment scheme.

We recommend you discuss all technical considerations for your project with one of our skilled installation partners.

Please contact us to organise a consultation or trial application with a member of our installation network







Due to the number of finishes available, durability varies between patterns and brands. Cover Styl' finishes typically last 10 years, standard 3M DI-NOC has a durability of 5 years for exterior applications but up to 12 years for indoor use. The specialist exterior range however is expected to last 10 years+ ensuring protection against defects in fading, peeling, discoloration or loss of adhesion.

ABRASION RESISTANCE

Superior to many common wall surfaces such as paint/ wallpaper, an equivalent level of HPL. There are additional specialist ranges also available for high traffic areas, or where greater protection is sought.

IMPACT RESISTANCE

Performance is superior to many common wall surfaces such as paint/wallpaper. However, film surfaces can be dented if sufficient force is applied. Impact resistance is highly dependent on the strength of the substrate material onto which it is applied. As it is a vinyl, it offers a degree of cushioning on impact, where harder substrates such as laminates may crack with the same impact. However, the beauty of architectural film, is that any damage over its lifetime can be repaired with an invisible patch, without having to remove or replace any expensive panels.

CLEANING


Architectural films are made from durable PVC, meaning they are wipeable and practical. They are also resistant to staining by common substances e.g. food or household cleaners. Full technical spec sheets are available on request.

FIRE CERTIFICATION

Architectural films meet all building and IMO regulations with fire certifications available across the range. Should you require specific information by patterns, we can put you in touch with our technical department. Fire test results vary by finish and application substrate, with most classified as class B or C with low dripping and emissions.







For more information visit www.architextural.co.uk



01833 690305 info@architextural.co.uk www.architextural.co.uk









